कार्यालय सहायक आयुक्त (प्रथम) देवस्थान विभाग, जयपुर क्रमांक :- एफ.1()लेखा/देव/मरम्मत/2024/3805 दिनांक :- 08 दिनांक :- 08 08 2024

-: ई-निविदा सूचना :-

इस कार्यालय के अधीन राजकीय प्रत्यक्ष प्रभार श्रेणी के 32 मंदिरों में सार्वजनिक निर्माण विभाग के पंजीकृत ठेकेदारों से जीर्णोद्वार/मरम्मत, लोहे के बोर्ड एवं रंग-रोगन कार्य करवाया जाना है। उक्त कार्यों के लिए ऑनलाईन ई-प्रोक्योरमेन्ट प्रकिया के माध्यम से सक्षम बोलीदाताओं से बोली आमंत्रित की जाती है। बोली की संक्षिप्त सूचना निम्नानुसार है :--

बिड डॉक्यूमेन्ट डाउनलोड करने की तिथि बिड डॉक्यूमेन्ट अपलोड करने की अंतिम तिथि व समय बिड सिक्योरिटी राशि, बिड फीस एवं RISL प्रोसेसिंग शुल्क जमा कराने की अंतिम तिथि एवं	दिनांक 20.08.2024 सांय 6 बजे तक
तकनीकी बिड खोलने की दिनांक	दिनांक 21.08.2024

कार्य का नाम	अनुमानित लागत	बोली प्रतिभूति राशि रूपये	निविदा प्रपत्र शुल्क राशि	MD RISL प्रोसेसिंग शुल्क	कार्य पूर्ण करने की अवधि
इस कार्यालय के अधीन राजकीय	2785446/-	55710/-	1000/-	500/-	एक माह
प्रत्यक्ष प्रभार श्रेणी के 32 मंदिरों में					
जीर्णोद्वार / मरम्मत, लोहे के बोर्ड			. 2		-7
एवं रंग–रोगन कार्य				• • •	

नोट :-निविदा के दस्तावेजों का विस्तृत विवरण https://devasthan.rajasthan.gov.in, www.sppp.rajasthan.gov.in एवं eproc.rajasthan.gov.in पर देखा जा सकता है।

भाष्ट्रिक आयुक्त (प्रथम), देवस्थान विभाग, जयपुर

क्रमांक :- एफ.1()लेखा / देव / मरम्मत / 2024 / 3806 - 1 दिनांक :- 08 08 2024 प्रतिलिपि: - निम्नलिखित को आवश्यक कार्यवाही हेतु प्रेषित है।

1. आयुक्त महोदय, देवस्थान विभाग, राजस्थान—उदयपुर को सूचनार्थ एवं निविदा विभागीय वेबसाईट पर अपलोड करने हेतु।

2. श्रीमान सचिव, जयपुर विकास प्राधिकरण, जयपुर को सूचना पट्ट पर चस्पा करने हेतु।

3. श्रीमान आयुक्त, नगर निगम जयपुर हैरिटेज / ग्रेटर को सूचना पट्ट पर चस्पा करने हेतु।

4. श्रीमान जिला कलक्टर जयपुर, को सूचना पट्ट पर चस्पा करने हेत्।

5. कार्यालय नोटिस बोर्ड पर चस्पा करने हेतु।

सहायक आयुर्वेत (प्रथम), देवस्थान विभाग, जयपुर

कार्यालय सहायक आयुक्त (प्रथम) देवस्थान विभाग, जयपुर क्रमांक :- एफ.1()लेखा/देव/मरम्मत/2024/3805 दिनांक :- 08/08/2024

विषय :— इस कार्यालय के अधीन राजकीय प्रत्यक्ष प्रभार श्रेणी के 32 मंदिरों में जीर्णोद्वार/मरम्मत, लोहे के बोर्ड एवं रंग—रोगन कार्य हेतु ई निविदा।

बोली प्रपत्र

क.	वोली विवरण	महत्वपूर्ण तिथियां एवं राशि
सं.		
1	वोली डॉक्यूमेन्ट का मूल्य	1000 / – रूपये का डी.डी. / वैंकर्स चैक सहायक आयुक्त (प्रथम), देवस्थान विभाग, जयपुर के नाम
		आयुक्त (प्रथम), दवस्थान विमान, जयपुर पर नाम
	4	से, जो जयपुर में देय हो।
2	विड सिक्यूरिटी राशि	55710 / -रूपये का डी.डी. / वैंकर्स चैंक सहायक
	149 1114 2131	आयुक्त (प्रथम), देवस्थान विमाग, जयपुर के नाम
		से जो जयपुर में देय हो।
3	RISL प्रोसेसिंग शुल्क	500/-रूपये का डी.डी./बैंकर्स चैक MD
	TCIDD XII III I I I I I	RISL Jaipur के नाम से, जो जयपुर में देय हो।
4	विड डॉक्यूमेन्ट डाउनलोड करने की तिथि	दिनांक 08.08.2024
5	विड डॉक्यूमेन्ट अपलोड करने की अंतिम तिथि व	दिनांक 20.08.2024 सांय 6 बजे तक
	समय	
6	विड सिक्योरिटी राशि, विड फीस एवं RISL प्रोसेसिंग	दिनांक 20.08.2024 सांय 6 बजे तक
	शुल्क जमा कराने की अंतिम तिथि व समय	
7	तकनीकी विड खोलने की तिथि	दिनांक 21.08.2024
	कार्य पूर्ण करने की अवधि	एक माह
1 1	6)	

इस कार्यालय के अधीन राजकीय प्रत्यक्ष प्रभार श्रेण के 32 मंदिरान मे जीर्णोद्धार/मरम्मत,

लोहे के वोर्ड एवं रंग-रोगन कार्य की सूची-

क्रं.सं.	मंदिर का नाम	अनुमानित व्यय राशि
	मंदिर श्री लक्ष्मीनारायणजी (बाईजी), बड़ी चौपड़ जयपुर	86960
. 1	मंदिर श्री वृजनिधि जी, चांदनी चौक जयपुर	86960
3	मंदिर श्री आनन्द कृष्ण विहारी जी चांदनी चौक जयपुर	86960
4	मंदिर श्री गोवर्धननाथ जी, चौड़ा रास्ता जयपुर	86960
5	मंदिर श्री वलदेव जी परशरामद्वारा, आमेर रोड़ जयपुर	86960
6	मंदिर श्री वजराज विहारी जी, त्रिपोलिया बाजार, जयपुर	86960
7	मंदिर श्री राधा गीपाल जी, जयनिवास उद्यान, जयपुर	86960
8	मंदिर श्री गंगा जी, जयनिवास उद्यान, जयपुर	86960
9	मंदिर श्री मदन मोहन जी, हवामहल के सामने जयपुर	86960
10	मंदिर थी चन्द्र विहारी जी, बड़ी चौपड़ जयपुर	89686
11	मंदिर श्री किल्की जी. सिरहड्योढ़ी वाजार, जयपुर	86960
12	मंदिन भी आनन्द विहारी जी, बड़ी चौपड़, जयपुर	86960
13	मंदिर श्री नवल किशोर जी , वावा हरीशचन्द्र माग, जयपुर	86960
14	मंदिर श्री विश्वेश्वरजी चौड़ा रास्ता जयपुर	86960
15	मंदिर श्री जगतेश्वर जी, जीहरी वाजार, जयपुर	86960

E/repair works of 32 mandir 08 08 2024

16	THE A	150.50
16	मंदिर श्री रामेश्वर जी, आमेर जयपुर	86960
17	मंदिर श्री रामेश्वर जी, पराना घाट, जयपर	86960
18	मंदिर श्री रामेश्वर जी, पुराना घाट, जयपुर मंदिर श्री चन्द्रेश्वर जी, सिरहडयोढ़ी बाजार, जयपुर	86960
19	मंदिर श्री प्रतापेश्वर जी, चांदनी चौक, जयपुर	86960
01	मंदिर श्री महताब बिहारी जी, त्रिपोलिया बाजार जयपुर	86960
21	मंदिर श्री जानकी वल्लभ जी, छोटी चौपड़ जयुर	86960
22	मंदिर श्री विजय गोविन्द जी, हवामहल, जयपुर	86960
23	मंदिर श्री गोपाल जी गाडीवालान, परानी बस्ती, जयपुर	86960
24	मंदिर श्री राधा कृष्ण जी, पुरानी बस्ती, जयपुर मंदिर श्री रसिक बिहारी जी, छोटी चौपड़ जयपुर	86960
25	मंदिर श्री रसिक बिहारी जी, छोटी चौपड़ जयपुर	86960
26	मंदिर श्री राधा मनोहर जी , झालानियों का रास्ता जयपुर	86960
27	मंदिर श्री रघुनाथ जी राधा निवास, रामगढ़ मोड़ जयपुर	86960
28	मंदिर श्री राधा बल्लभ जी, पुरानी बस्ती, जयपुर	86960
29	मंदिर श्री फतेह कुंज बिहारी जी, पुराना घाट, जयपुर	86960
30	मंदिर श्री फतेह कुंज बिहारी जी, पुराना घाट, जयपुर मंदिर श्री मुरली मनोहर जी, गणगौरी बाजार, जयपुर	86960
31	मंदिर श्री रतन बिहारी जी, चांदी की टकसाल जयपुर	86960
32	मंदिर श्री लक्ष्मीनारायण जी बाग जयनिवास जयपुर	86960
	योग	2785446/-

नोट :-

बिड निर्धारित प्रपत्र में ऑनलाईन ई—प्रोक्योरमेन्ट प्रकिया के माध्यम से Two Stage (द्विभाग)
 पद्वति तकनीकी बिड एवं वित्तीय बिड के रूप में अलग—अलग प्राप्त की जावेगी।

2. बिंड संबंधी शर्ते एवं अन्य जानकारी सहायक आयुक्त (प्रथम) देवस्थान विभाग, जयपुर के नोटिस बोर्ड, www.sppp.rajasthan.gov.in एवं eproc.rajasthan.gov.in पर देखी जा सकती है।

3. बिड में वांछित समस्त प्रमाण पत्र एवं सूचनायें बिड डॉक्यूमेन्ट के साथ हस्ताक्षर कर बिडर्स द्वारा निर्धारित तिथि तक ऑनलाईन अपलोड करनी है।

4. निर्धारित समय एवं तिथि तक बोली प्रतिभूति राशि, बिड फीस, एवं RISL प्रोसेसिंग फीस के डी.डी. / बैंकर्स चैक प्राप्त नहीं होने पर ऐसे बिडर्स की बिड नहीं खोली जावेगी।

5. बिडर्स को अपना नाम तथा मोबाईल नम्बर, डी.डी./बैकर्स चैक के पृष्ठ भाग पर लिखना अनिवार्य है। उक्त सभी डी.डी./बैंकर्स चैक को भी स्कैन कर बिड़ डॉक्यूमेन्ट के साथ / अपलोड किया जाना है।

		बोलीदाता	के	हस्ताक्षर
नाम				
पता	′ट्याष	 0		

कार्यालय सहायक आयुक्त (प्रथम) देवस्थान विभाग, जयपुर

बोलीदाता की तकनीकी योग्यताएँ

1			and the same of th
1	क.	तकनीकी योग्यताएँ	वांछित प्रपत्र
	सं.		
	1	बोलीदाता को किसी राजकीय विभाग/निगम/	राजकीय/विभाग/वोर्ड/निगम/
		प्राधिकरण/बोर्ड/कॉरपोरेशन आदि में कम से	प्राधिकरण / कॉरपोरेशन द्वारा जारी किये
		कम 2 वर्ष का कार्यानुभव होना आवश्यक है।	गये कार्यादेश/अनुभव प्रमाण पत्र की
1		वर्ग र वर्ग वर्ग वर्गवादुर्गव द्वा । जावरववर द्वा	छायाप्रतियां विड के साथ अपलोड की
			जानी है।
	2	बोलीदाता फर्म को किसी राजकीय विभाग, बोर्ड,	पर स्वयं प्रमाणित शपथ पत्र विड के
		कॉरपोरेशन, प्राधिकरण, निगम द्वारा विंड अपलोड	
	7	करने की तिथि से गत 3 वर्षों में ब्लैक लिस्टेड	साथ अपलोड करना है तथा मूल शपथ
-		अथवा डिफाल्टर घोषित नहीं होना चाहिये।	पत्र विंड सिक्यूरिटी फीस के साथ
			कार्यालय में जमा करवाना है।
	3	बोलीदाता फर्म का गत तीन वित्तीय वर्षी	चार्टर्ड अकाउन्टेन्ट द्वारा अंकेक्षित
		2021—22, 2022—23 एवं 2023—24 का औसत	फाईनल अकाउन्टस की छायाप्रतियां
		टर्नओवर 25 लाख रूपये से अधिक प्रतिवर्ष होना	तथा वैलेन्स शीट एण्ड टर्न ओवर
		चाहिये।	सर्टिफिकेट सनदी लेखाकार (सी.ए.) से
			प्रमाणित होना चाहिये विड के साथ
	2777		अपलोड करने है।
-	•	बोलीदाता फर्म के विरूद्व वित्तीय वर्ष 2023-24	संबंधित विभाग द्वारा जारी वित्तीय वर्ष
	4	[- 10 To Table 10 Ta	
l		तक वेट, सर्विस टेक्स तथा जी.एस.टी बकाया	
L		नहीं होना चाहिये।	के साथ अपलोड करना है।
	5	बोलीदाता के पास स्वयं का अथवा फर्म का पैन	पैनकार्ड की तथा जी.एस.टी नम्बर की
		नम्बर तथा जी.एस.टी नम्बर होना चाहिये।	छायाप्रति स्कैन कर विड के साथ
			अपलोड करनी है।
		बोलीदाता किसी सार्वजनिक निर्माण विभाग/	इसके लिये बोलीदाता को सम्बन्धित का
		राजकीय / विभाग / बोर्ड / निगम /	रजिस्ट्रेशन प्रमाण पत्र, उसका
		प्राधिकरण / कॉरपोरेशन आदि से रजिस्टर्ड होना	नवीनीकरण एवं अन्य आवश्यक
		आवश्यक है।	दस्तावेज संलग्न करने है।
		VIIIVIE VI	

नोट :- बोलियां ऑनलाईन ई-प्रोक्योरमेन्ट के माध्यम से Two Stage (द्विभाग) पद्वति तकनीकी बिड एवं वित्तीय बिड के रूप में अलग-अलग प्राप्त की जावेगी। तकनीकी योग्यताओं को पूर्ण करने वाले बोलीदाता की ही वित्तीय बोली खोली जावेगी।

भिरुट्टे सहायक आयुक्त (प्रथम), देवस्थान विभाग, जयपुर

निविदा की शर्ते

- 1. प्रत्येक मंदिर में किये जाने वाले कार्यों की "G-Schedule" अलग—अलग होकर निविदा प्रपत्र के साथ संलग्न है। संवेदक को संलग्न "G-Schedule" के अनुसार ही कार्य करवाया जाना है।
- 2. मंदिर पर लगने वाले लोहे के बोर्डों पर मंदिर का विवरण एवं इतिहास संवदेक द्वारा ही अंकित किया जाना है।
- 3. बोलियां ऑनलाईन ई-प्रोक्योमेन्ट के माध्यम से Two Stage (द्विभाग) पद्वित तकनीकी बिड एवं वित्तीय बिड से प्राप्त की जावेगी। तकनीकी बिड में योग्य पाये गये बोलीदाताओं की ही वित्तीय बिड खोली जावेगी।
- 4. बोलीदाता को निर्धारित शुल्कों के बैंकर्स चैक / डी.डी. निश्चित तिथि व समय तक कार्यालय सहायक आयुक्त (प्रथम), देवस्थान विभाग जयपुर में जमा करवाने होंगे। इनके समय पर प्राप्त नहीं होने पर इनके अभाव में उनकी बिड नहीं खोली जावेगी।
- 5. सशर्त बोलियां स्वीकार नही की जावेगी।
- 6. निविदा स्वीकृति की सूचना प्राप्ति के सात कार्य दिवसों में सफल बोलीदाता को 500/- रूपये के नॉन ज्यूडिशियल स्टाम्प पर अनुबन्ध निष्पादन करना होगा।
- 7. निविदादाताओं को केन्द्रीय सरकार / राज्य सरकार के नियमों के अन्तर्गत आवश्यक कर कटौती करने के पश्चात् ही भुगतान किया जायेगा।
- 8. निविदादाता को पैन कार्ड, आधार कार्ड, जी.एस.टी. पंजीयन प्रमाण पत्र की प्रति बिड के साथ अपलोड करनी होगी।
- 9. अनुबन्धकर्ता द्वारा नियोजित कार्मिकों को श्रम विभाग के नियमानुसार निर्धारित पारिश्रमिक दिये जाने का दायित्व स्वयं अनुबन्धकर्ता का होगा।
- 10. संविदा अवधि में अनुबन्धकर्ता एवं विभाग के मध्य कोई विवाद उत्पन्न होता है तो आयुक्त देवस्थान विभाग राजस्थान सरकार उदयपुर का निर्णय अंतिम होगा।
- 11. बोली खुलने के पश्चात बोलीदाता उसके द्वारा प्रस्तुत की गई दरों को वापस लेता है या अनुबन्ध पश्चात कार्य प्रारम्भ नहीं करता है तो बोली प्रतिभूति राशि को जब्त कर लिया जायेगा एवं इस अनुबन्ध की समाप्ति से होने वाली राजस्व हानि सफल बोलीदाता से वसूली कर ली जावेगी।
- 12. बोलीदाता की फर्म का पूर्ण पता, टेलीफोन/मोबाईल नम्बर बोली प्रपत्र में यथा स्थान अंकित करना होगा। अनुबन्ध अवधि में टेलीफोन/मोबाईल/पते आदि में परिवर्तन की रिथिति में तुरन्त कार्यालय को सूचित करना होगा।
- 13. निविदा की सभी शर्तो की पालना बोलीदाता द्वारा की जायेगी। उनके द्वारा किसी भी शर्त अथवा आर.टी.पी.पी. एक्ट 2012 एवं नियम 2013 में वर्णित किसी नियम का उल्लंघन किया जाता है तो अनुबन्ध निरस्त कर बोली प्रतिभूति राशि जब्त की जा सकती है तथा फर्म को DEBAR भी किया जा सकता है।
- 14. अनुबन्ध समाप्ति पश्चात अमानत राशि अनुबन्धकर्ता को लौटा दी जावेगी। इस पर कोई ब्याज देय नहीं होगा।

15 अधोहरताक्षरकर्ता न्यूनतम प्राप्त दर को स्वीकृत करने के लिये बाध्य नही है।

E/repair works of 32 mandir 08 08 2024

16. अनुबन्धकर्ता को कार्य आरम्भ करने से पूर्व तथा कार्य समाप्ति के पश्चात की रंगीन

फोटोग्राफी कर फोटो प्रस्तुत करने होंगे।

17. कार्यस्थल पर किसी प्रकार की गैर कानूनी गतिविधियां व कार्य में अनियमितता पाये जाने पर विभाग द्वारा निविदा निरस्त कर दी जावेगी तथा अमानत राशि जब्त करते हुए अनुबन्धकर्ता के विरुद्ध कानूनी कार्यवाही अमल में लाई जावेगी।

18. बोलीदाता द्वारा अपलोड किये गये प्रत्येक प्रपन्न पर अपने हस्ताक्षर (फर्म की मोहर

सहित) किया जाना आवश्यक है।

19. संवेदक के भुगतान बिलों से कटौती की 10 प्रतिशत सिक्यूरिटी डिपोजिट राशि संतोषजनक कार्य समाप्ति के छः माह पश्चात अथवा एक पूर्ण वर्षाकाल समाप्त होने के पश्चात् जो भी बाद में हो लौटाई जावेगी।

20. निविदा के साथ Annexure A B C D हस्ताक्षर कर बिंड के साथ अपलोड करने

आवश्यक है।

21. अनुबन्ध पत्र पर हस्ताक्षर करने के बाद शीघ्र ही सफल निविदादाता द्वारा कार्य प्रारम्भ करना होगा। कार्य में निरन्तर गतिशीलता बनाये रखना आवश्यक होगा तथा कार्य निर्धारित समय अथवा उससे पूर्व सम्पादित किया जाना अनिवार्य होगा।

22. कार्यस्थल पर किसी प्रकार की टूटफूट होने अथवा दुर्घटना होने पर विभाग का उत्तरदायित्व नही होगा। इसकी समस्त जिम्मेदारी अनुबन्धकर्ता फर्म की होगी। सभी न्यायिक / श्रम नियम अन्य नियमों की पालना का उत्तरदायित्व भी अनुबन्धकर्ता का ही

होगा। विभाग की ओर से किसी भी प्रकार का मुआवजा देय नहीं होगा।

23. निर्माण कार्य में निर्धारित गुणवता स्तर बनाये रखा जाना अनिवार्य है इसलिये मापदण्डों के अनुसार सामग्री का उपयोग सुनिश्चित किया जावेगा। इसमें किसी भी प्रकार की कमी पाई जाने पर फर्म के विरूद्ध निर्धारित प्रक्रिया के तहत कार्यवाही अमल में लाई जावेगी।

- 24. किसी भी परिस्थिति में प्रशासनिक एवं वित्तीय स्वीकृत की राशि तथा तकमीने से हटकर अधिक कार्य नहीं किया जावेगा तथा न ही अन्य आईटम मद में कार्य किया जावेगा। ऐसा करने पर अतिरिक्त कार्य फर्म द्वारा स्वेच्छा से किया गया कार्य माना जावेगा जिसका कोई भुगतान देय नहीं होगा। यदि विशेष परिस्थितियों में अन्य आईटम मद में कार्य किये जाने की आवश्यकता महसूस की जाती है तो कार्य करने से पूर्व सक्षम लिखित स्वीकृति प्राप्त करनी होगी।
- 25. सभी प्रकार के कानूनी वाद जयपुर स्थित न्यायालयों में ही प्रस्तुत किये जा सकते है।
- 26. निविदा स्वीकृत / अस्वीकृत करने का सम्पूर्ण अधिकार अधोहस्ताक्षरकर्ता के पास सुरक्षित रहेगा। निविदा स्वीकृति आयुक्त, देवस्थान विभाग, राजस्थान / राज्य सरकार के अनुमोदन के अधीन रहेगा।

निविदादाता के हस्ताक्षर

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not include in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest,-

The Bidder participating in a bidding process must no have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

AC-I

Devasthan, Jaipur

Signature of bidder

E/repair works of 32 mandir 08 08 2024

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

 I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;

2. I/we have fulfilled my/our obligation to pay such of the taxes payble to the union and the state government or any local authority as specified in the Bidding Document.

3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;

4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;

5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding

Document, which materially affects fair competition;

Date:

Place:

AC-I

Devasthan, Jaipur

Signature of bidder

Name:

Designation:

Address:

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is......

The designation and address of the Second Appellate Authority is......

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued thereunder, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) From of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or though registered post or authorized representative.

AC - I Devasthan, Jaipur Signature of bidder (in case of appeal)

E/repair works of 32 mandir 08 08 2024

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.


(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

AC - I Devasthan, Jaipur

Signature of bidder (in case of appeal)

FORM No. 1 [see rule 83]



Appe	al No of	Before
	(First/Second Appellate authority)	
	, ,	
1-	Particulars of appellant:	
3.57	(i) Name of the appellant :	
	(ii) Official address, if any:	
	(iii) Residential address:	
	(III) Residential address:	
2	Name and address of the resmondant(s).	
2-	Name and address of the respondent(s):	
	(i)	
	(ii)	
	(iii)	
3-	Number and date of the order appealed	
	against and name and designation of the	
	office/authority who passed the order	
	(enclose copy), or a statement of a decision,	
	action or omission of the procuring Entity	
	in contravention to the provisions of the Act	4
	by which the appellant is aggrieved:	The second secon
4 / Pi		
4-	If the Appellant propose to be represented by	
-	a representative the name and postal address	보는 옷에 가는 이 맛이 하느면 돼?
	of the representative:	
5-	Number of affidavits and documents enclosed	
J-	with the appeal:	
	with the appear.	
	Craum do of composite	그는 회사를 하는 가는 것이 없다.
6-	Grounds of appeal:	
	(Supported by an affidavit)	2011년에 내가 내는 모든 사람이 되었다. 그렇
	gal (2018년) 1일 - 2018년 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1	
7-	Prayer:	
	그렇게 이번을 위하다가요? 그는 물건이 뭐래? 그녀야 하다 내가 빠르다.	
Place:		
Date:		
	이 보고 어디에는 이번에 하는 물이 없는 물이 없다. 선생님이 되었다며	
	이 그들은 그를 가는 옷이 그는 그 맛을 다 없다는데 이래워하셨습니다. [6]	"이 얼마를 게고다를 하고 살게
	VOD (
		Annallant's Ct
	AC-I	Appellant's Signature

E/repair works of 32 mandir 08 08 2024

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

- 2. Procuring Entity's Right to Vary quantities.
 - (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
 - (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the biding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
 - (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. It the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.
- Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

AC - I Devasthan, Jaipur Signature of bidder

E/repair works of 32 mandir 08 08 2024



Period



Estimated Cost

Earnest Money 2%

Tender Fee Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI LAXMI NARAYAN JI, (BAI JI)
BADI CHOPAD, JAIPUR (RAJ.)

(Based on P.W.D. B.S.R.2022)

			{Based on	P.W.D. B.:	7.12.2022
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/building material and				
	road material etc. by manual or by				
	mechanical transport including loading	6.00 aum	240.00	p.cum	1440.00
-	unloading etc. (lead for 20 km) Repair to cement plaster in cement mortar	6.00 cum	2-10.00	7.00111	The state of the s
2.	1:6 (1 cement : 6 fine sand) including				
	removal of old plaster in regular shade and			,	
	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand	NAME OF THE OWNER OWNER OF THE OWNER			
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting				
	raking out joints and cleaning the surface				
	for plaster including disposal of rubbish to	50.00 agust	15.00		750.00
5.	the dumping ground within 50 meter lead. Wall painting with plastic emulsion paint	50.00 sqmt	15.00	p.sqmt	750.00
	of approved brand and manufacture to				
	give an even shade. New work including				
	preparation of base with primer putty lippy		111		
	complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved				
	brand and manufacture to give an even	50.00			
7.	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
/•	old work (one or more coats) including scrapping and priming coat and necessary				
	repairs.	350.00sqm	22.00		7700.00
8.	Supply of direction and place identification	330.00sqm	22.00	p.sqmt	7700.00
	sign boards made out of 2mm thick MS			,	
	sheet framed to angle iron 40x40x5mm		=		
	and 2 vertical posts of angle iron				
	65x65x6mm,4.60m long with hold fasts		e	-	_
	including excavation and fixing with CC			-	
	1:4:8 (30x30x60cm) and transportation			,	
	with painting with superior grade enamel paint of approved quality including		-		
	paint of approved quality including lettering and figuring etc. complete as per				¥
	IRC standard size 210x270cm)project			'	
	board)	2.00Nos	15000	n oast	2000
		2.001103	13000	p.each	30000.00
	V 1			Total Rs.	86960,00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipur-I.





Estimated Cost

Earnest Money 2%

Tender Fee Period

Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI BRIJ NIDHI JI, CHANDNI CHOWK, JAIPUR (RAJ.)

			{Based on	P.W.D. B.S	s.R.2022}
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/building material and				
	road material etc. by manual or by				
	mechanical transport including loading				
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including				-
	removal of old plaster in regular shade and white or colour washing.	50.00 gamt	235.00	n camt	11750,00
3.	Repair to stone masonry in cement sand	50.00 sqmt	233,00	p.sqmt	11/30,00
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting	10.00341111	510,00	pisquit	2100,00
	raking out joints and cleaning the surface				
	for plaster including disposal of rubbish to				
	the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint				Difference of the Control of the Philips of Companies Charles on Control of C
	of approved brand and manufacture to				
	give an even shade. New work including				
	preparation of base with primer putty lippy				
	complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even				
	shade. Two or more coats on new work.	60.00	60.00		
7.	old work (one or more coats) including	60.00sqmt	69.00	p.sqmt	4140.00
٠.	scrapping and priming coat and necessary				
	repairs.	350.00sqm	22.00	n camt	7700.00
8.	Supply of direction and place identification	320.003qm	22.00	p.sqmt	7700.00
	sign boards made out of 2mm thick MS				
	sheet framed to angle iron 40x40x5mm				
	and 2 vertical posts of angle iron	7			
	65x65x6mm,4.60m long with hold fasts				
	including excavation and fixing with CC		Ē		
	1:4:8 (30x30x60cm) and transportation				
	with painting with superior grade enamel				
	paint of approved quality including				
	lettering and figuring etc. complete as per				
	IRC standard size 210x270cm)project	2.001	15000	,	
	board)	2.00Nos	15000	p.each	30000.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Complissioner, Devasthan Jaipur I.

86960.00

> SIGNATURE OF CONTRACTOR CLASS; ADDRESS

Total Rs.



Estimated Cost

Earnest Money 2%

Tender Fee

Date of Period Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI ANAND KRISHNA BIHARI JI, TRIPOLIYA CHANDNI CHOWK, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

			{Based on	r. W.D. D.	
	I was at a large	Quantity	Rate	Unit	Amount
S.	Particular	Quit			
1.	Carriage of earth/ building material and road material etc. by manual or by				Get
	mechanical transport including loading				
	mechanical transport including loading	6.00 cum	240.00	p.cum	1440.00
	unloading etc. (lead for 20 km) Repair to cement plaster in cement mortar				
2.	1:6 (1 cement : 6 fine sand) including				
	removal of old plaster in regular shade and				
	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
	Repair to stone masonry in cement sand				2100.00
3.	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4	Dismantling of old plaster or skirting				
4.	raking out joints and cleaning the surface				- T
	for plaster including disposal of rubbish to				750.00
	the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint			E te	
٥.	of approved brand and manufacture to		54)		\$ - * (
	give an even shade. New work including	6	* 1		1 1 3 1
	preparation of base with primer putty lippy	= *			28000.00
	complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved	15 17	4 4		
· ·	brand and manufacture to give an even		60.00		4140.00
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including		ž.	\$1. P	1
	scrapping and priming coat and necessary		22.00	n samt	7700.00
14	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification			F	-
	sign boards made out of 2mm thick MS		- 1		1
	sheet framed to angle iron 40x40x5mm	.1			a .
w 11	and 2 vertical posts of angle iron				11
	65x65x6mm,4.60m long with hold fasts	7		<u> </u>	
	including excavation and fixing with CC	'		=	· *
7	1.4.8 ($30x30x60cm$) and transportation	10 101	4.	1 9 1	
	with painting with superior grade enamel			_1	34
	paint of approved quality including		74 1		
	lettering and figuring etc. complete as per		. 4		9
,	IRC standard size 210x270cm)project	2.00Nios	15000	p.each	30000.00
	board)	2.00Nos	13000		86960.00
1				Total Rs.	00300.00

Assistant Engineer, Devasthan, Udaipur. Assistant Comprissioner, Devasthan, Jaipur-I.

the "G" Schedule

SIGNATURE OF CONTRACTOR **CLASS: ADDRESS**

2

Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI GOVARDHAN NATH JI, CHOUDA RASTA, JAIPUR (RAJ.) {Based on P.W.D. B.S.R.2022}

		-		1	Amount
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and				
	road material etc. by manual or by				
	mechanical transport including loading		240.00	n cum	1440.00
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 time sand) including				
	removal of old plaster in regular shade and	50 00 samt	235.00	p.sqmt	11750.00
	white or colour washing.	50.00 sqmt	233.00	pisquit	11.20.00
3.	Repair to stone masonry in cement sand	10.00	318.00	p.sqmt	3180.00
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqiii	370070
4.	Dismantling of old plaster or skirting				
	,raking out joints and cleaning the surface				
	for plaster including disposal of rubbish to	50.00 sqmt	15.00	p.sqmt	750.00
	the dumping ground within 50 meter lead.	30.00 sqiii	15.00	pioqui	
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to				
	give an even shade. New work including				
	preparation of base with primer putty lippy				
	complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved				
0.	brand and manufacture to give an even			#)	,
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including				
'•	scrapping and priming coat and necessary				
	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification				
٠.	sign boards made out of 2mm thick MS		11		
	sheet framed to angle iron 40x40x5mm				
	and 2 vertical posts of angle iron				
	65x65x6mm,4.60m long with hold fasts				
	including excavation and fixing with CC				
	1:4:8 (30x30x60cm) and transportation				
	with painting with superior grade enamel				
	paint of approved quality including				
	lettering and figuring etc. complete as per				
	IRC standard size 210x270cm)project	2.00Nos	15000	p.each	30000.00
,	board)	2.00Nos	15000		
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner Devasthan, Jainur-I.



Estimated Cost

Earnest Money 2%

Tender Fee Period

Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI BALDEV JI PARSHURAMDWARA, AMER ROAD, JAIPUR (RAJ.) {Based on P.W.D. B.S.R.2022}

			Rate	Unit	Amount
S.	Particular	Quantity	Nate		
1.	Carriage of earth/ building material and road material etc. by manual or by				
	mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar			s ¹	
,	removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping	50.00 sqmt	15.00	p.sqmt	750.00
5.	ground within 50 meter lead. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation	Joilo Bqiii	187	,	
	of base with primer putty lippy complete in	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron	. 5	F.		
	65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC	9 n g			
	painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard	g e		+ 4 · · · · · · · · · · · · · · · · · ·	2 1
	size 210x270cm)project board)	2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer,
Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipur-I.



Estimated Cost

Earnest Money 2%

Tender Fee

Date of Period Selling

Date of Receipt

SCHEUDLE "G "

BRIJRAJ BIHARI JI, NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI TRIPOLIYA BAZAR, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

				I . vv.ib. ib	Amount
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading	6.00 cum	240.00	p.cum	1440.00
	unloading etc. (lead for 20 km) Repair to cement plaster in cement mortar			_	
2.	1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in	350.00sqm	80.00	p.sqmt	28000.00
6.	all respect. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)	2 00Nos	15000	n each	30000.00
	SILO LI ONL (COM) PER S	2.00Nos	15000	p.each	
	4			Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

I/We hereby agreed to completed the above work @ --------% Above /below the "G" Schedule

Estimated Cost

Earnest Money 2%

Tender Fee

Period

Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RADHA GOPAL JI, BADEE CHAUPAD, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

				77.14	
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)		15000	w oods	20000 00
	SILO LI ONLI OCCUPATION AND AND AND AND AND AND AND AND AND AN	2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Comprissioner, Devasthan, Jaipur-1.

I/We hereby agreed to completed the above work @ -----% Above /below the "G" Schedule



Estimated Cost

ed

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI GANGA JI, GOVINDDEV JI TEMPLE KE PASS,BADEE CHAUPAD, JAIPUR (RAJ.) (Rased on P.W.D. B.S.R.2022)

				Unit	Amount
0	Particular	Quantity	Rate	Ullot	7 2110
S. 1.	Carriage of earth/ building material and road material etc. by manual or by				
	mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping	50.00 sqmt	15.00	p.sqmt	750.00
5.	ground within 50 meter lead. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm 4.60m long with hold fasts	*0			
	including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard	× z			
	size 210x270cm)project board)	2.00Nos	15000	p.each	30000.00 86960.00
				Total Rs.	00300.00

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner, Devasthan, Jaipur-I.

Estimated Cost

Earnest Money 2%

Period Tender Fee

Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI MADAN MOHAN JI, HAWA MAHAL, BADI CHAUPAD, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022} Amount Unit Rate Quantity Particular S.

1	5.	Particular				
1		Carriage of earth/ building material and				
		road material etc. by manual or by				
		mechanical transport including loading	6.00 cum	240.00	p.cum	1440.00
		initologing etc. (lead for 20 km)	0.00 cam	21000		
2	2.	Repair to cement plaster in cement mortar				
	1	1:6 (1 cement : 6 fine sand) including				1
		removal of old plaster in regular shade and	50.00 sqmt	235.00	p.sqmt	11750.00
		white or colour washing.	30.00 Sqiii			
3	3.	Repair to stone masonry in cement sand	10.00sqmt	318.00	p.sqmt	3180.00
		mortar 1:6 with old and new stones.	10.0054111			
1	4.	Dismantling of old plaster or skirting ,raking				
		out joints and cleaning the surface for plaster				
		including disposal of rubbish to the dumping	50.00 sqmt	15.00	p.sqmt	750.00
		ground within 50 meter lead. Wall painting with plastic emulsion paint of				-
	5.	approved brand and manufacture to give an	-			
		even shade. New work including preparation		9.91		12
		of base with primer putty lippy complete in			.	
		all respect.	350.00sqm	80.00	p.sqmt	28000.00
	6.	Painting with enamel paint of approved				
Ι,	•	brand and manufacture to give an even		ii .		4440.00
		shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
Ι,	7.	old work (one or more coats) including				
	".	scrapping and priming coat and necessary			10 200 A	7700 00
		renairs	350.00sqm	22.00	p.sqmt	7700.00
	8.	Supply of direction and place identification	*	14		
1		sign hoards made out of 2mm thick MS sheet				a
	5 1	framed to angle iron 40x40x5mm and 2	<	-		
		vertical posts of angle iron				,
		65x65x6mm,4.60m long with hold fasts				
		including excavation and fixing with CC		1		
	1	1:4:8 (30x30x60cm) and transportation with				
	3	painting with superior grade enamel paint of				
		approved quality including lettering and	•			
		figuring etc. complete as per IRC standard			1. 4:	
		size 210x270cm)project board)	2.00Nos	15000	p.each	30000.00
+	\leq		1		Total Rs.	86960.00
_	-					

Assistant Engineer, Devasthan, Udaipur.

Assistant Coppositioner, Devasthan, Jaibur-I.

I/We hereby agreed to completed the above work @ ------% Above /below the "G" Schedule



Estimated Cost

d

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI CHANDRA BIHARI JI, MANAK CHOWK,(BADI CHOPAD) JAIPUR (RAJ.)

Rosed on	P.W.D.	B.S.R.2022
CDARGU VII	V	THE RESERVE OF THE PARTY OF THE

		{	Based on	P. W.D. B.	
	T	Quantity	Rate	Unit	Amount
S.	Particular and the little a meterial and	Quitte			
1.	Carriage of earth/ building material and				
	road material etc. by manual or by			-	
	mechanical transport including loading	6.00 cum	240.00	p.cum	1440.00
	unloading etc. (lead for 20 km)	0.00 cum	21010		
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including			•	
	removal of old plaster in regular shade and	50.00 sqmt	235.00	p.sqmt	11750.00
	white or colour washing.	30.00 sqiit	255,00	Jan	
3.	Repair to stone masonry in cement sand	10.00 amt	318.00	p.sqmt	3180.00
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	pisquit	
4.	Dismantling of old plaster or skirting ,raking				
	out joints and cleaning the surface for plaster				8
	including disposal of rubbish to the dumping		15.00	p.sqmt	750.00
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqiit	700100
5.	Wall painting with plastic emulsion paint of				_
67 To.	approved brand and manufacture to give an				14
	even shade. New work including preparation			11	
	of base with primer putty lippy complete in		00.00	n camt	28000.00
	all respect.	350.00sqm	80.00	p.sqmt	20000.00
6.	Painting with enamel paint of approved	1			
	brand and manufacture to give an even		60.00		4140.00
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including				
1,1	scrapping and priming coat and necessary				7700.00
	renairs	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification			T	
0.	sign boards made out of 2mm thick MS sheet	-			
	framed to angle iron 40x40x5mm and 2				
	vertical posts of angle iron				
111	65x65x6mm,4.60m long with hold fasts				
	including excavation and fixing with CC				
	1.4.8 (30x30x60cm) and transportation with				
	painting with superior grade enamel paint of				
	approved quality including lettering and				
	figuring etc. complete as per IRC standard				1 9 5
	size 210x270cm)project board)	, ,	11	1 1 2	
	Size 210x270cm)project som sy	1.00Nos	15000	p.each	15000.00
9.	Wring of light p./fan pt./exhaust fan pt./call				
у.	bell pt. with 1.5 Sq.mm FR PVC insulated		11		-
	unsheathed flexible copper condr. 1.1 KV		1 5	1 n	1
	grade and 1.5 Sq.mm FR PVC insulated				
	flexible copper earth condr. 1.1 KV grade			2	
	IS: 694 of app. Make in surface/recessed ISI				
	marked medium duty PVC conduit & its			\.	
	accessories round tiles 18 SWG M.S.box			8	31
	accessories found thes to 5 WG Wiston				

	with earth terminal screw less cage connectors for neutral looping in switch		ı	,1	
* ,	board & false ceiling pt. 6 A switch 3.0 mm thick phenolic laminated sheet zinc plated/brass screws cup washers making connection testing etc. as reqd. Gr.1 Short			l m ^{'A}	, ,
	Point (uptp 3 Mtr) Medium Point (up to 6 mtr) Long Point (uo to 10 Mtr)	10 Nos 10 Nos 5 Nos	199.12 312.75 438.75	Each Each Each	1991.00 3125.00 2194.00
10.	S/D FR PVC insulated & unsheathed flexible copper condr. ISI marked IS: 694 of 1.1 KV grade and approved make in existing surface/recessed conduit/casing capping inclg. Making connections etc. as				
	reqd. Gr. 1 3x1.5 sqm mm 2x2.5 sqm mm+1x1.5 sqmm 2x4.0sqmm+1x2.5sqmm 1x4.0 sqmm 2x10 sqmm	50 Mtr 50 Mtr 50 Mtr 50 Mtr 10 Mtr	35.66 48.03 69.75 26.88 140.00	p.mtr p.mtr p.mtr p.mtr p.mtr	1783.00 2401.00 3488.00 1344.00 1400.00
				Total Rs.	89686.00

Assistant Engineer,
Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipyr-I.



1

Estimated Cost Earnest Money 2%

Tender Fee Period

Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI KILKEE JI, SIRAH DOYODI BAZAR, JAIPUR (RAJ.)

(Posed on P.W.D. B.S.R.2022)

	BAZAR, JAH OR (IA)	Based on	P.W.D. B.S	3.1K.20223	
		Quantity	Rate	Unit	Amount
S.	Particular	Quinter (
1.	Carriage of earth/ building material and road material etc. by manual or by				
		-			1440.00
(E)	mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar		n ^{**}		
۷٠.	1.6 (1 cement : 6 fine sand) including			-	
	removal of old plaster in regular shade and	#0.00t	235.00	p.sqmt	11750.00
	white or colour washing.	50.00 sqmt	233.00	p.sqme	
3.	Repair to stone masonry in cement sand	10.00camt	318.00	p.sqmt	3180.00
	mortar 1:6 with old and new stones.	10.00sqmt	310.00	p.s.	
4.	Dismantling of old plaster or skirting ,raking				
	out joints and cleaning the surface for plaster including disposal of rubbish to the dumping				
94	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of				
5.	approved brand and manufacture to give an	11	æ	, f x	
	even shade. New work including preparation				
	of base with primer putty lippy complete in	250.00	80.00	p.sqmt	28000.00
	all respect.	350.00sqm	80.00	p.sqiit	200001
6.	Painting with enamel paint of approved	- 1	Į.	19	
	brand and manufacture to give an even	60.00sqmt	69.00	p.sqmt	4140.00
	shade. Two or more coats on new work.		-		
7.	old work (one or more coats), including scrapping and priming coat and necessary				n series e
		350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification	- 4			
0.	sign boards made out of 2mm thick MS sneet	7,		e 5	2
	framed to angle iron 40x40x5mm and 2			2	
	vertical posts of angle iron	3			
	65x65x6mm,4.60m long with hold fasts	_		4	_
	including excavation and fixing with CC		2	н Е	
	1:4:8 (30x30x60cm) and transportation with			/ -	
	painting with superior grade enamel paint of				
	approved quality including lettering and figuring etc. complete as per IRC standard				6
	size 210x270cm)project board)			100	
	Size 210x2/ocin/project board)	2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan Jaipur-I.



Estimated Cost

Enrnest Money 2%

Tender Fee

Date of Period Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI ANAND BIHARI JI, THANA MANAK CHOWK, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

	The state of the s	The second secon	Rate	Unit	Amount
S.	Particular	Quantity	Kate	A STATE OF THE PARTY OF THE PAR	
1.	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading unloading etc. (lead for 20 km)	6,00 cum	240.00	p,cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)				
	size 210x2/ociti)project boardy	2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Copyrissioner, Devasthan, Jaiper-I.

the "G" Schedule

Estimated Cost

Earnest Money 2%

Tender Fee Period

Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI NAVAL KISHOR JI,
TAHBIBDARA KA RASTA,, JAIPUR (RAJ.)
(Resed on P.W.D. B.S.R.2022)

		{1	Based on	P.W.D. B.S	3.1K.ZUZZ
		Quantity	Rate	Unit	Amount
S1.	Particular Carriage of earth/ building material and road material etc. by manual or by				
	mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)				
	Size at one to only programmy	2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner, Devasthan Jajpur-1.



Estimated Cost Earnest Money 2%

Tender Period Fee Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK; -REPAIR WORK OF TEMPLE SHRI VISHVESHWAR JI, COUDA RASTA, JAIPUR (RAJ.)

	RASTA, JAH ER (II.)	{1	Based on	P.W.D. B.S	S.R.2022}
S.	Particular	Quantity	Rate	Unit	Amount
1,	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading	Company on Mary Advantages and the Section of the S			
	unloading etc. (lead for 20 km)	6,00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and	50.00 sqmt	235.00	p.sqmt	11750.00
3.	white or colour washing. Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
1.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)		1		
	Size 210x270cm/project coura/	2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Cormissioner, Devasthan, Julyur-1.



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI JAGTESHWAR JI, HALDIYON KA RASTA, JOHARI BAZAR, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

		- {	baseu on	P.W.D. B.	7.11.20225
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading	6.00 cum	240.00	p.cum	1440.00
2.	unloading etc. (lead for 20 km) Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and	50.00 sqmt	235.00	p.sqmt	11750.00
3.	white or colour washing. Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard				
	size 210x270cm)project board)	2.00Nos	15000	p.each Total Rs.	30000.00 86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Connicssioner, Devasthan, rainur-1.

SIGNATURE OF CONTRACTOR CLASS: ADDRESS

2

Estimated Cost

Earnest Money 2%

Tender Period Fee Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RAMESHWAR JI, AMER, JAIPUR (RAJ.)

	JAIPUR (RAJ.)			DWDD	S D 20221
				P.W.D. B.S	
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement: 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in	350.00sqm	80.00	p.sqmt	28000.00
6.	all respect. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)				
		2.00Nos	15000	p.each	30000.00

Assistant Engineer, Devasthan, Udaipur. Assistant Compusioner, Devasthan, Jaipur I.

Estimated Cost

Earnest Money 2%

Tender Period Fee Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RAMESHWAR JI,PURANA GHAT, JAIPUR (RAJ.)

	GIAI, UMI OR (ILLIO	´ {1	Based on	P.W.D. B.S	S.R.2022}
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and				-
	road material etc. by manual or by mechanical transport including loading unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)	a a	*		
		2.00Nos	15000	p.each	30000.00

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner, Devasthan, Jaipur-1.

86960.00

> SIGNATURE OF CONTRACTOR CLASS: ADDRESS

Total Rs.

Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI CHANDRESHWAR JI, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022} Unit Amount Rate Quantity Particular Carriage of earth/building material and 1. road material etc. by manual or by transport including loading mechanical 1440.00 240.00 unloading etc. (lead for 20 km) 6.00 cum p.cum Repair to cement plaster in cement mortar 2. 1:6 (1 cement: 6 fine sand) including removal of old plaster in regular shade and 11750.00 white or colour washing. 50.00 sqmt 235.00 p.sqmt Repair to stone masonry in cement sand 3. mortar 1:6 with old and new stones. 3180.00 10.00sqmt 318.00 p.sqmt Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 15.00 750.00 50.00 sqmt p.sqmt Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 350.00sqm 80.00 28000.00 p.sqmt Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 60.00sqmt 69.00 4140.00 p.sqmt old work (one or more coats) including 7. scrapping and priming coat and necessary 350.00sqm repairs. 22.00 p.sqmt 7700.00 Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Compositioner, Devasthan, Jaipur-I.

86960,00

> SIGNATURE OF CONTRACTOR CLASS: ADDRESS

Total Rs.

2



Estimated Cost Earnest Money 2%

Tender Fee Period

Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI PRATAPESHWAR JI,

11.	CHANDANI CHOWI	K, JAIPUR (F	RAJ.) Dagadon	P.W.D. B.	S.R.20223
	po alsque	The second line is not a second line in the second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line in the second line is not a second line is not	The state of the s	Unit	Amount
S.	Particular	Quantity	Rate	The same of the sa	to property and remaining August of Art action (Appellate of
1.	Carriage of earth/ building material and				
	road material etc. by manual or by				
	mechanical transport including loading	6 00 aum	240.00	p.cum	1440.00
	unoading ctc. (ledd for 20 km)	6.00 cum	2-10,00		and the state of t
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including				
	removal of old plaster in regular shade and	50.00 sqmt	235.00	p.sqmt	11750.00
2	white or colour washing. Repair to stone masonry in cement sand	Boloo Beliit			
3.	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking				
٦.	out joints and cleaning the surface for plaster				
	including disposal of rubbish to the dumping		12		750.00
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of				
	approved brand and manufacture to give an				<i>z</i>
	even shade. New work including preparation				
	of base with primer putty lippy complete in	350.00sqm	80.00	p.sqmt	28000.00
	all respect.	330.00sqm	00.00	pisquit	
6.	Painting with enamel paint of approved brand and manufacture to give an even				
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7	old work (one or more coats) including				,
7.	scrapping and priming coat and necessary	1 4			
,	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification				
	sign boards made out of 2mm thick MS sheet	1			
	framed to angle iron 40x40x5mm and 2			,	
	vertical posts of angle iron				
	65x65x6mm,4.60m long with hold fasts				₹.
	including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with				_
	painting with superior grade enamel paint of		3		
	approved quality including lettering and		=		
	figuring etc. complete as per IRC standard	41	35		
	size 210x270cm)project board)	100000			20000 00
	Dillo m 1 O/M 1 O mily promise and 1	2.00Nos	15000	p.each	30000.00

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner, Devasthan, Jaipur I.

86960.00



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI MEHATAB BIHARI JI, TRIPOLIYA BAZAR, JAIPUR (RAJ.)

	TRIPOLIYA BAZAR	, JAIPUR (K/	Based on	P.W.D. B	.S.R.2022}
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/building material and road material etc. by manual or by mechanical transport including loading				
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.	4 (4)	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.	e v	15.00	n camt	750.00
5.	ground within 50 meter lead. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in	50.00 sqmt	15.00	p.sqmt	730.00
	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)				
		2.00Nos	15000	p.each	30000.00
)			Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner Devasthan, Jaipur-I.



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI JANKIVALLABH JI, CHOTI CHOPAD, JI, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

S. Particular Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading unloading etc. (lead for 20 km)				Dased on	P.W.D. B.	3.1X.2U223
road material etc. by manual or by mechanical transport including loading unloading etc. (leaf for 20 km) 2. Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing. 3. Repair to stone masonry in cement sand mortar 1:6 with old and new stones. 4. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	S.			Rate	Unit	Amount
mechanical transport including loading unloading etc. (lead for 20 km) 2. Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing. 3. Repair to stone masonry in cement sand mortar 1:6 with old and new stones. 4. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats on new work. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 1440.00 p.cum 1440.0	1.					
unloading etc. (lead for 20 km) Repair to cement plaster in cement mortar 1:6 (1 cement: 6 fine sand) including removal of old plaster in regular shade and white or colour washing. Repair to stone masonry in cement sand mortar 1:6 with old and new stones. Repair to stone masonry in cement sand mortar 1:6 with old and new stones. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. Indicate the complete in all respect. Indicate the complete in and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade cnamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) Indicate the complete in regular shade and and size 210x270cm)project board)		- T			-	
Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing. 50.00 sqmt 235.00 p.sqmt 11750.00		1			#:	H _a
1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing. 3. Repair to stone masonry in cement sand mortar 1:6 with old and new stones. 4. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 11750.00 p.sqmt 235.00 p.sqmt 750.00 250.00 sqmt 15.00 p.sqmt 28000.00 250.00 sqmt 15.00 p.sqmt 28000.00 250.00 sqmt 69.00 p.sqmt 4140.00 250.00 sqmt 69.00 p.sqmt 4140.00 250.00 sqmt 69.00 p.sqmt 750.00				240.00	p.cum	1440.00
removal of old plaster in regular shade and white or colour washing. 3. Repair to stone masonry in cement sand mortar 1:6 with old and new stones. 4. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 7. Dismantling of old plaster or skirting raking out 10.00sqmt 15.00 p.sqmt 15.00 p.sqmt 28000.00 p.sqmt 28000.00 p.sqmt 4140.00 p.sqmt 4140.00 p.sqmt 7700.00 p.sqm	2.					v.
white or colour washing. 50.00 sqmt 235.00 p.sqmt 11750.00			1			
Repair to stone masonry in cement sand mortar 1:6 with old and new stones. 10.00sqmt 318.00 p.sqmt 3180.00		removal of old plaster in regular shade and	11.	l ,		-
mortar 1:6 with old and new stones. 4. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 10.00sqmt 318.00 p.sqmt 750.00 15.00 p.sqmt 28000.00 15.00 p.sqmt 28000.00 15.00 p.sqmt 4140.00 2.00Nos 15000 p.each 30000.00			50.00 sqmt	235.00	p.sqmt	11750.00
4. Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 50.00 sqmt 15.00 p.sqmt 750.00 60.00sqmt 69.00 p.sqmt 4140.00 7700.00 p.sqmt 7700.00	3.			1		
out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 50.00 sqmt 15.00 p.sqmt 750.00 50.00 sqmt 69.00 p.sqmt 4140.00 60.00 sqmt 69.00 p.sqmt 7700.00 7700.00 p.sqmt 7700.00			10.00sqmt	318.00	p.sqmt	3180.00
including disposal of rubbish to the dumping ground within 50 meter lead. 5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats on new work. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 50.00 sqmt 15.00 p.sqmt 750.00 80.00 p.sqmt 4140.00 60.00sqmt 69.00 p.sqmt 7700.00 7700.00 p.sqmt 7700.00	4,	Dismantling of old plaster or skirting, raking				
ground within 50 meter lead. 50.00 sqmt 15.00 p.sqmt 750.00 Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 50.00 sqmt 15.00 p.sqmt 28000.00 750.00 p.sqmt 4140.00 7700.00 2.00 p.sqmt 7700.00 7700.00 2.00 p.sqmt 22.00 7700.00 2.00 p.sqmt 30000.00 7700.00 7700.00 30000.00 7700.00 30000.00 7700.00 30000.00 7700.00		out joints and cleaning the surface for plaster	I save e			, · · · · ·
5. Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		including disposal of rubbish to the dumping	F	E .	21	
approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	_		50.00 sqmt	15.00	p.sqmt	750.00
even shade. New work including preparation of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	5.	Wall painting with plastic emulsion paint of	1			
of base with primer putty lippy complete in all respect. 6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.sqmt 22.00 p.sqmt 7700.00		approved brand and manufacture to give an		*	77	-
all respect. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. Old work (one or more coats) including scrapping and priming coat and necessary repairs. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		even shade. New work including preparation	*			
6. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		of base with primer putty lippy complete in	- I	ī.		
brand and manufacture to give an even shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00			350.00sqm	80.00	p.sqmt	28000.00
shade. Two or more coats on new work. 7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.sqmt 4140.00 p.sqmt 7700.00 7700.00 2.00Nos 15000 p.sqmt 7700.00	0.	Painting with enamel paint of approved	tra .			
7. old work (one or more coats) including scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		brand and manufacture to give an even	di di			
scrapping and priming coat and necessary repairs. 8. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	7		60.00sqmt	69.00	p.sqmt	4140.00
R. Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	/.	old work (one or more coats) including				
Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		scrapping and priming coat and necessary	5 A.A	(d _ v	2.7	
sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	0		350.00sqm	22.00	p.sqmt	7700.00
framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	٥.					
vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		sign boards made out of 2mm thick MS sheet	140		,	-
65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	F.,				,*	an the
including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		1 11011	e e e e			
1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	12	including execution and 5	Q	<u>#1</u>		_
painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00	F *	1:4:8 (20:20:40) and fixing with CC	2 -	L.		_
approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		nainting with approximate and transportation with	" p P 1	* * *	= + 12 ¹¹ 1	~* _{ii}
figuring etc. complete as per IRC standard size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		approved quality includes	, e			1
size 210x270cm)project board) 2.00Nos 15000 p.each 30000.00		figuring etc. comparison and		* 1	2	
2.00Nos 15000 p.each 30000.00		sign 210 270 and have in a 1 1 2	1		÷	1 5 6 3
p.cucii 50000.00		size 210x2/0cm/project board)	2 003 1		1 H	18
M		1	2.00Nos	15000	p.each	30000.00
00700.00))			Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Japur-I.



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI VIJAY GOVIND JI, SIHARH DEYODI, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

			Dased on	P.W.D. B.	D.IX.LULLS
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and			-	
	road material etc. by manual or by			1.4	
	mechanical transport including loading	I			
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including				
	removal of old plaster in regular shade and				4477000
_	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand	1000	212.00		2.00.00
_	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking				
	out joints and cleaning the surface for plaster				
	including disposal of rubbish to the dumping ground within 50 meter lead.	50.00	15.00		750.00
5.	Wall painting with plastic emulsion paint of	50.00 sqmt	15.00	p.sqmt	750.00
٥.	approved brand and manufacture to give an				
	even shade. New work including preparation	*** ** ** ***	5		
	of base with primer putty lippy complete in	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 5	
	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved	- Do o o o o o o o o o o o o o o o o o o	00.00	pisqiit	20000.00
	brand and manufacture to give an even			-	27
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including	0 1		1	
	scrapping and priming coat and necessary	**			
	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification				
	sign boards made out of 2mm thick MS sheet		.01	¥	
-	framed to angle iron 40x40x5mm and 2			_	
	vertical posts of angle iron	N. 11		-	
	65x65x6mm,4.60m long with hold fasts	11.	1 1		
	including excavation and fixing with CC	Tr.			
	1:4:8 (30x30x60cm) and transportation with	4			
	painting with superior grade enamel paint of		,		1
	approved quality including lettering and				
	figuring etc. complete as per IRC standard			,	
1	size 210x270cm)project board)	2.003/	15000		20000 00
		2.00Nos	15000	p.each	30000.00
				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Compassioner, Devasthan, Jaipur-I.



Estimated Cost

Earnest Money 2%

Tender Period Fee Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI GOPAL JI GADIWALAN, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

-		a a company and a second	Based on	P.W.D. B.	D.R.ZULL)
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/building material and				
	road material etc. by manual or by				
	mechanical transport including loading				
	unloading etc. (lead for 20 km)	6,00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including		İ	1	
	removal of old plaster in regular shade and				
	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand				
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking				
	out joints and cleaning the surface for plaster				
	including disposal of rubbish to the dumping				
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of				
	approved brand and manufacture to give an				
	even shade. New work including preparation				
	of base with primer putty lippy complete in				
_	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved				
	brand and manufacture to give an even				
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including				
	scrapping and priming coat and necessary				
-	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification				
	sign boards made out of 2mm thick MS sheet				
	framed to angle iron 40x40x5mm and 2				
	vertical posts of angle iron				
	65x65x6mm,4.60m long with hold fasts				
	including excavation and fixing with CC	_			
	1:4:8 (30x30x60cm) and transportation with				
	painting with superior grade enamel paint of			· ·	_
	approved quality including lettering and				
	figuring etc. complete as per IRC standard				
	size 210x270cm)project board)			77	- 4
-		2.00Nos	15000	p.each	30000.00
1	1)			Total Rs.	86960.00
-6	Y COOL	A CANADA CONTRACTOR OF COMME	The state of the s	To the desired of the second of the second	THE POLICE

Assistant Engineer, Devasthan, Udaipur.

Assistant Comvissioner, Devasthan, Joipur-L.



Estimated <u>Earnest Money</u> Tender Cost 2% Fee

Tender Period

Date of Selling

Date of Receipt

SCHEUDLE "G"

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RADHA KRISHNA JI, GANGOURI BAZAR, JAIPUR (RAJ.)

4 {Based on P.W.D. B.S.R.2022} S. Particular Quantity Rate Unit Amount Carriage of earth/building material and road material etc. by manual or by mechanical transport including loading unloading etc. (lead for 20 km) 240.00 1440.00 6.00 cum p.cum Repair to cement plaster in cement mortar 1:6 (1 cement: 6 fine sand) including removal of old plaster in regular shade and white or colour washing. 50.00 sqmt 235.00 11750.00 p.sqmt Repair to stone masonry in cement sand 3. mortar 1:6 with old and new stones. 10.00sqmt 318.00 3180.00 p.sqmt Dismantling of old plaster or skirting ,raking 4. out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. 50.00 sqmt 15.00 750.00 p.sqmt Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in all respect. 350.00sgm 80.00 28000.00 p.sqmt Painting with enamel paint of approved 6. brand and manufacture to give an even shade. Two or more coats on new work. 60.00sqmt 69.00 p.sqmt 4140.00 old work (one or more coats) including scrapping and priming coat and necessary repairs. 350.00sqm 22.00 7700.00 p.sqmt Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipur I

I/We hereby agreed to completed the above work @ the "G" Schedule

-% Above /below

30000.00

86960.00

SIGNATURE OF CONTRACTOR CLASS: ADDRESS

p.each

Total Rs.

2.00Nos

15000



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RASIK BIHARI JI, CHOTI CHOPAD, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022	{B	ased	on	Ρ.	W	.D.	B	S.	R	.20)22
-----------------------------	----	------	----	----	---	-----	---	----	---	-----	-----

			Based on	P.W.D. B.	3.14.20223
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and				
	road material etc. by manual or by	1			
	mechanical transport including loading		0.40.00	5 54444	1440.00
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including		14		
	removal of old plaster in regular shade and	50.00 gamt	235.00	n camt	11750.00
2	White or colour washing. Repair to stone masonry in cement sand	50.00 sqmt	233.00	p.sqmt	11730.00
3.	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking	10.0054111	310.00	pisquit	3100.00
4.	out joints and cleaning the surface for plaster				F 3
	including disposal of rubbish to the dumping				4,
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of				7
	approved brand and manufacture to give an				
	even shade. New work including preparation				
	of base with primer putty lippy complete in				
	all respect.	350.00sgm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved				
	brand and manufacture to give an even				
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including	12			
	scrapping and priming coat and necessary	250.00	00.00		7700 00
0	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification			: E - 4	
	sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2	4			
	vertical posts of angle iron				72
	65x65x6mm,4.60m long with hold fasts	*	12		
	including excavation and fixing with CC				
	1:4:8 (30x30x60cm) and transportation with				2
	painting with superior grade enamel paint of		· ·	, m 31	10
	approved quality including lettering and				1
	figuring etc. complete as per IRC standard		7	-	11
	size 210x270cm)project board)		Q3 = +4 ±+		
		2.00Nos	15000	p.each	30000.00
	D 12			Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipur-I.

Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G"

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RADHA MANOHAR JI, KISHAN POLE BAZAR, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

					D.3.1.2022
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and				
	road material etc. by manual or by				
	mechanical transport including loading		0.10.55		1440.00
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including	1			
	removal of old plaster in regular shade and		225.00	n namt	11750.00
-	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11/30.00
3.	Repair to stone masonry in cement sand	10.00	210.00	n comt	3180.00
-	mortar 1:6 with old and new stones.	10,00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking				
	out joints and cleaning the surface for plaster including disposal of rubbish to the dumping				
1	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of	50.00 squit	15.00	pioquit	,,,,,,,,,
3.	approved brand and manufacture to give an				
	even shade. New work including preparation				
	of base with primer putty lippy complete in				
	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved			<u> </u>	
	brand and manufacture to give an even				
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including				
	scrapping and priming coat and necessary				**
	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification				
	sign boards made out of 2mm thick MS sheet				
	framed to angle iron 40x40x5mm and 2				
	vertical posts of angle iron				
Ì	65x65x6mm,4.60m long with hold fasts				
	including excavation and fixing with CC				
	1:4:8 (30x30x60cm) and transportation with				l
	painting with superior grade enamel paint of				l
	approved quality including lettering and				
	figuring etc. complete as per IRC standard				
	size 210x270cm)project board)	2.00Nos	15000	n each	30000 00
		2.001108	15000	p.each	30000,00
/				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner, Devasthan, Jaipur-L

Period

Estimated Cost Earnest Money 2%

Tender Fee

Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RAGHUNATH JI, RADHA NIWAS, JI, AMER ROAD, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

					B.S.R.2022}
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and			2	_
	road material etc. by manual or by				
	mechanical transport including loading				
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including				
	removal of old plaster in regular shade and				
	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand				
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking		**		
	out joints and cleaning the surface for plaster		19	20	
	including disposal of rubbish to the dumping		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of				
	approved brand and manufacture to give an			1	
	even shade. New work including preparation			9	
	of base with primer putty lippy complete in	25000	00.00		20000000
_	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved				7
	brand and manufacture to give an even		60.00		444000
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including				
	scrapping and priming coat and necessary	250.00	22.00		7700 00
	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification				
	sign boards made out of 2mm thick MS sheet			41 43	
	framed to angle iron 40x40x5mm and 2 vertical posts of angle iron	i.i.		.1	2
	vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts				
	including excavation and fixing with CC				10
	1:4:8 (30x30x60cm) and transportation with				
	painting with superior grade enamel paint of		100		
	approved quality including lettering and		2		
	figuring etc. complete as per IRC standard		-		
	size 210x270cm)project board)				
	bile 21 on 21 on 19 of our dound)	2.00Nos	15000	p.each	30000.00
	7			Total Rs.	86960.00
-	-//			rotat No.	00700.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipur I.



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RADHA VALLABH JI, PURANI BASTI, CHAND BAZAR, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

		{Based on P.W.D. B.S.R.2022				
S.	Particular	Quantity	Rate	Unit	Amount	
1.	Carriage of earth/ building material and	1				
	road material etc. by manual or by	1	2		1	
	mechanical transport including loading		240.00		1440.00	
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00	
2.	Repair to cement plaster in cement mortar	1		1		
	1:6 (1 cement : 6 fine sand) including			-		
	removal of old plaster in regular shade and		235.00	n camt	11750.00	
3.	white or colour washing. Repair to stone masonry in cement sand	50.00 sqmt	233.00	p.sqmt	11730.00	
3.	mortar 1:6 with old and new stones.	10.00sqmt	318.00	n samt	3180.00	
4.	Dismantling of old plaster or skirting ,raking		318.00	p.sqmt	3180.00	
٦.	out joints and cleaning the surface for plaster					
	including disposal of rubbish to the dumping					
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00	
5.	Wall painting with plastic emulsion paint of		10.00	15.551		
	approved brand and manufacture to give an	1	l ÷			
	even shade. New work including preparation			10	1	
	of base with primer putty lippy complete in					
	all respect.	350.00sqm	80.00	p.sqmt	28000.00	
6.	Painting with enamel paint of approved					
	brand and manufacture to give an even					
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00	
7.	old work (one or more coats) including	¥5.				
	scrapping and priming coat and necessary	250.00	22.00			
	repairs.	350.00sqm	22.00	p.sqmt	7700.00	
8.	Supply of direction and place identification		4			
	sign boards made out of 2mm thick MS sheet					
	framed to angle iron 40x40x5mm and 2 vertical posts of angle iron					
	65x65x6mm,4.60m long with hold fasts					
	including excavation and fixing with CC					
	1:4:8 (30x30x60cm) and transportation with			-		
	painting with superior grade enamel paint of			,		
	approved quality including lettering and					
	figuring etc. complete as per IRC standard					
	size 210x270cm)project board)					
	,,	2.00Nos	15000	p.each	30000.00	
			1	Total Rs.	86960.00	

Assistant Engineer, Devasthan, Udaipur.

Assistant Compressioner, Devasthan, Jaipur I.



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI FATEH KUNJ BIHARI JI, PURANA GHAT, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

C	TN 41 T	1 6			D.S.R.2022}
S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and				
	road material etc. by manual or by				
	mechanical transport including loading				
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar				
	1:6 (1 cement : 6 fine sand) including			_ ,	
	removal of old plaster in regular shade and	The second second			5 M. 18
	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00
3.	Repair to stone masonry in cement sand				
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting, raking			20 (9	
	out joints and cleaning the surface for plaster				
	including disposal of rubbish to the dumping	At A		T _L A	
	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of				
	approved brand and manufacture to give an			-	
	even shade. New work including preparation	ra .			
	of base with primer putty lippy complete in	a min (min a			
	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved	3 3	11		
ı.	brand and manufacture to give an even	60.00	60.00		
_	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including				
	scrapping and priming coat and necessary	250.00	20.00		77 00 00
	repairs.	350.00sqm	22.00	p.sqmt	7700.00
8.	Supply of direction and place identification	79.57			-
	sign boards made out of 2mm thick MS sheet		W 2		ta.
	framed to angle iron 40x40x5mm and 2			4:	
	vertical posts of angle iron	-	7		
	65x65x6mm,4.60m long with hold fasts	l:	=		
	including excavation and fixing with CC		1		
	1:4:8 (30x30x60cm) and transportation with				
	painting with superior grade enamel paint of				15
	approved quality including lettering and		ā		
	figuring etc. complete as per IRC standard				
	size 210x270cm)project board)	2.00Nos	15000	n each	30000 00
\Rightarrow		2.001108	13000	p.each	30000.00
)) ^			Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur. Assistant Convertsioner, Devasthan, Jaipur-I.



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G"

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI MURLI MANOHAR JI, GANAGOURI BAZAR, JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

			{Based on P.W.D. B.S.R.2022}			
S.	Particular	Quantity	Rate	Unit	Amount	
1.	Carriage of earth/ building material and road material etc. by manual or by mechanical transport including loading		240.00	n cum	1440.00	
	unloading etc. (lead for 20 km)		240.00	p.cum	1440.00	
2.	Repair to cement plaster in cement mortar 1:6 (1 cement : 6 fine sand) including removal of old plaster in regular shade and white or colour washing.		235.00	p.sqmt	11750.00	
3.	Repair to stone masonry in cement sand mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00	
4.	Dismantling of old plaster or skirting ,raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead.		15.00	p.sqmt	750.00	
5.	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade. New work including preparation of base with primer putty lippy complete in		80.00	p.sqmt	28000.00	
6.	all respect. Painting with enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00	
7.	old work (one or more coats) including scrapping and priming coat and necessary repairs.	350.00sqm	22.00	p.sqmt	7700.00	
8.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet framed to angle iron 40x40x5mm and 2 vertical posts of angle iron 65x65x6mm,4.60m long with hold fasts including excavation and fixing with CC 1:4:8 (30x30x60cm) and transportation with painting with superior grade enamel paint of approved quality including lettering and figuring etc. complete as per IRC standard size 210x270cm)project board)				i e	
	Size 210x2/ociti/project boatu)	2.00Nos	15000	p.each	30000.00	
	D .			Total Rs.	86960.00	

Assistant Engineer, Devasthan, Udaipur. Assistant Commissioner, Devasthan, Commissioner,



Estimated Cost

Earnest Money 2%

Tender Fee Period Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI RATAN BIHARI JI, RAI JI KA GHER, AMER ROAD , JAIPUR (RAJ.)

{Based on P.W.D. B.S.R.2022}

	Based on P.W.D. B.S.R.2022					
S.	Particular	Quantity	Rate	Unit	Amount	
1.	Carriage of earth/ building material and	Ĭ				
	road material etc. by manual or by	1			-	
	mechanical transport including loading	1			200	
	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00	
2.	Repair to cement plaster in cement mortar					
	1:6 (1 cement : 6 fine sand) including			- 4		
	removal of old plaster in regular shade and		225.00		11750 00	
	white or colour washing.	50.00 sqmt	235.00	p.sqmt	11750.00	
3.	Repair to stone masonry in cement sand	1000	210.00		2100.00	
	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00	
4.	Dismantling of old plaster or skirting, raking	,				
	out joints and cleaning the surface for plaster	-				
	including disposal of rubbish to the dumping ground within 50 meter lead.	1	15.00		750.00	
5.	Wall painting with plastic emulsion paint of	50.00 sqmt	15.00	p.sqmt	750.00	
٥.	approved brand and manufacture to give an		1	2		
	even shade. New work including preparation					
	of base with primer putty lippy complete in	i r	-	A 71		
	all respect.	350.00sqm	80.00	p.sqmt	28000.00	
6.	Painting with enamel paint of approved	220.003411	00.00	p.sqiiit	20000.00	
	brand and manufacture to give an even					
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00	
7.	old work (one or more coats) including			p va qua	1110100	
	scrapping and priming coat and necessary					
	repairs.	350.00sqm	22.00	p.sqmt	7700.00	
8.	Supply of direction and place identification			4		
	sign boards made out of 2mm thick MS sheet	, I s		2.		
	framed to angle iron 40x40x5mm and 2					
-	vertical posts of angle iron			2 -		
	65x65x6mm,4.60m long with hold fasts	·			E	
	including excavation and fixing with CC					
	1:4:8 (30x30x60cm) and transportation with		2		-	
	painting with superior grade enamel paint of				е т *	
	approved quality including lettering and				. , .	
	figuring etc. complete as per IRC standard	=				
	size 210x270cm)project board)	• • • • • • • • • • • • • • • • • • • •		-		
		2.00Nos	15000	p.each	30000.00	
				Total Rs.	86960.00	

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Japper-I.





Estimated Cost

Earnest Money 2%

Period Tender Fee

Date of Selling

Date of Receipt

SCHEUDLE "G "

NAME OF WORK: -REPAIR WORK OF TEMPLE SHRI LAXMI NARAYAN JI, JAI **NIWAS, JAIPUR (RAJ.)**

{Based on P.W.D. B.S.R.2022}

S.	Particular	Quantity	Rate	Unit	Amount
1.	Carriage of earth/ building material and	::	.1		
	road material etc. by manual or by		4.	=	
	mechanical transport including loading			51-31	1440.00
_	unloading etc. (lead for 20 km)	6.00 cum	240.00	p.cum	1440.00
2.	Repair to cement plaster in cement mortar	ľ	10 % g	1 - Family 1	1.5
	1:6 (1 cement : 6 fine sand) including		3.	The second	(2) (2)
- 12	removal of old plaster in regular shade and white or colour washing.	50.00 sqmt	235.00	n samt	11750.00
3.	Repair to stone masonry in cement sand	30.00 sqiiit	233.00	p.sqmt	11750.00
٥.	mortar 1:6 with old and new stones.	10.00sqmt	318.00	p.sqmt	3180.00
4.	Dismantling of old plaster or skirting ,raking	10.0034111	310.00	p.sqiit	3100.00
"	out joints and cleaning the surface for plaster	5 0 4		18	
2.	including disposal of rubbish to the dumping			X -	1
7 10	ground within 50 meter lead.	50.00 sqmt	15.00	p.sqmt	750.00
5.	Wall painting with plastic emulsion paint of		74 JA 1		. 4
	approved brand and manufacture to give an				
	even shade. New work including preparation			and ye	
	of base with primer putty lippy complete in		10	1 19	
	all respect.	350.00sqm	80.00	p.sqmt	28000.00
6.	Painting with enamel paint of approved				
	brand and manufacture to give an even	40.00	40.00		•
	shade. Two or more coats on new work.	60.00sqmt	69.00	p.sqmt	4140.00
7.	old work (one or more coats) including		21	A Facility	
	scrapping and priming coat and necessary	250.00	20.00		
8.	repairs.	350.00sqm	22.00	p.sqmt	7700.00
0.	Supply of direction and place identification sign boards made out of 2mm thick MS sheet		h ,		
	framed to angle iron 40x40x5mm and 2		*		
	vertical posts of angle iron	-			
1 2	65x65x6mm,4.60m long with hold fasts	pr = = = = = = = = = = = = = = = = = = =		3 31 2 4	
14	including excavation and fixing with CC	4	p.	- 1 a	. // 4 a .
	1:4:8 (30x30x60cm) and transportation with	<u>.</u>		100	
	painting with superior grade enamel paint of	n			- 1
4-, 1	approved quality including lettering and		* 5		t i set
	figuring etc. complete as per IRC standard	1		ac act part	
	size 210x270cm)project board)	¥		9 S	1 1 1 1
		2.00Nos	15000	p.each	30000.00
\rightarrow				Total Rs.	86960.00

Assistant Engineer, Devasthan, Udaipur.

Assistant Commissioner, Devasthan, Jaipur-

I/We hereby agreed to completed the above work @ -----% Above /below the "G" Schedule

> SIGNATURE OF CONTRACTOR CLASS: **ADDRESS**

2